


MONUMENT ACCESSORIES			
Other survey grade monuments that were located in the vicinity and their relation to the monument. Geodetic coordinates in this table are provided in the format Easting, Northing.			
(#10138)	N 70d20'36" W	64.43'	3094501.02, 1432118.47 Cut X in northwest back of curb inlet
(#10141)	S 71d13'9" W	62.93'	3094502.11, 1432076.54 Cut X in southwest back of curb inlet
(#10146)	N 69d12'9" E	105.98'	3094660.76, 1432134.43 Cut X in northwest back of curb inlet
(#10149)	S 76d7'45" E	102.73'	3094661.42, 1432072.18 Cut X in southwest back of curb inlet
Witness A	N 32d W	76.5'	Monroe County "PROTECT NEARBY SURVEY MARKER" sign attached 4.2' above grade on the southeast side of 14" PSI Pole #767-673 with a mag nail found 1.0' above grade on the east side of the pole




NOTES:


- Field work was performed on 02/26/2019.
- Monroe County Surveyor's Field Book 53, page 36.
- Project Name: 2019-003_2019_INDOT_Network, Field work by: RSO & TER, Drawn by: RSO, Reviewed by: RSO, TER & SRB.
- The basis of bearings is Grid North NAD83(2011), Indiana West Zone, Epoch 2010.0000, Geoid Model G2012BU7, Datum NAD83_NO_TRANS, US Survey Feet, derived from GPS observations utilizing the Indiana Real-Time Network (INCORS). Distances obtained with GPS have not been adjusted to ground. Coordinate data was collected with a Javad Triumph LS Network Rover.
- Vicinity sketch was compiled per 2017 aerial photography.
- A $\frac{1}{2}$ " rebar in the centerline/centerline road intersection was witnessed by the Monroe County Surveyor, Michael Friley, on February 21, 1996. On a 1999 boundary survey by Kevin Potter on file in the Monroe County Surveyor's Office as RSID001323, Potter accepted a railroad spike 1.77' north and 3.19' east of the rebar. The current monument is a standard INDOT section corner monument that was set between 2006 and 2008 to replace the rebar after construction of Vernal Pike road improvements performed by the Monroe County Highway Department and INDOT. We collected coordinates on the new monument to perpetuate the accepted location of this corner. A complete survey history has not yet been performed to prove the validity of this monument. There are 3.6 feet of uncertainty associated with this monument due to the discrepancy shown on the 1999 Potter survey.


▲ **Monument Description:** 1" iron pin in concrete found flush in the centerline/centerline of Vernal Pike and Curry Pike

State Plane Grid Coordinates: Point No.: 10133 Northing: 1432096.80', Easting: 3094561.69'

SHEET 1 OF 2	MONUMENT RECORD CORNER ID: Rich_W21	Quarter Corner Section 25 & 36- T09N-R02W Richland Township Monroe County, Indiana	 OFFICE OF THE MONROE COUNTY SURVEYOR Trohn Enright-Randolph Monroe County Surveyor Rachel Savich Oser Professional Surveyor 119 West 7th Street, Bloomington, IN 47404 (812) 349-2570
-----------------------	---	--	--

Photos were taken on 02/26/2019 with an iPhone 6s





Trohn Enright-Randolph
Monroe County Surveyor



Accepted by the Monroe
County Surveyor Review Board
on 07/02/2019




Rachel Savich Oser, State of Indiana
Professional Surveyor No. 21100022

SHEET
2
OF
2

MONUMENT RECORD
CORNER ID:
Rich_W21

Quarter Corner
Section 25 & 36- T09N-R02W
Richland Township
Monroe County, Indiana



OFFICE OF THE MONROE COUNTY SURVEYOR
Trohn Enright-Randolph *Monroe County Surveyor*
Rachel Savich Oser *Professional Surveyor*
119 West 7th Street, Bloomington, IN 47404 (812) 349-2570

MONUMENT RECORD


Corner I.D. #

W-21

STATE OF INDIANA - COUNTY OF MONROE

Section Thirty-six, 36, Township 9 North, Range 2 West

Monument Description & Remarks: Found 1/2" Rebar in centerline/centerline
of road intersection, 2" under surface, at North 1/4 corner of section.



State of Indiana
County of Monroe

I, Michael W. Friley, County Surveyor, hereby certify
that this document was prepared under my direction in
accordance with the provisions of Section 17-3-64-4
through 17-3-64-8 of the Indiana Code, being Acts of 1965,
Chapter 319; and the above data is given under my hand and
seal this 21st day of February, 19 96 A.D.

Space
Reserved For
Recording
Officer

Indiana Registered Land Surveyor No. _____ or

Monroe County Surveyor's Office

United States Government Agency

Monroe County Surveyor

Title

Field Book:

96-01

Page:

24